

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	fastdata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:43
L4	0	spracc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:43
L5	11	((debug\$4 adj memory adj segment\$1) dmseg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:44
L6	12	(debug\$4 adj memor\$3) and ((pending complet\$3) near3 access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:46
L7	42	ejtag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:47
L8	17	7 and (@ad<="20010508" @pd<="20010508" @rlad<="20010508" @prad<="20010508")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:50
L9	3	7 and mips.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:50
L10	769	(714/30).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:50
L11	1236	(714/726).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:50

L12	408	(714/727).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:50
L13	45	(10 11 12) and (@ad<="20010508" @pd<="20010508" @rlad<="20010508" @prad<="20010508") and (@pd>"20050508")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 14:55
L14	4	(("5084814") or ("6032268") or ("6687865") or ("6754804")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/05 14:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	0	fastdata.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:01
L16	0	(probe and serial and request and completion and access and pending and range and address\$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:02